

LAVEZZI STANDARD INVENTORY

GENERAL CHARACTERISTICS:

Length O.A.: 11.90 m
Beam O.A.: 6.50 m
Draft: 1.10 m
Air draft: 17.56 m
Lightship displacement standard boat: 6,200 kg

Sail area:

- Genoa: 35 m² (approx.)
- Mainsail: 55 m² (approx.)

Engines: 2 x 18 hp

Tank capacities:

Freshwater: 2 x 280 l (approx.) / 2x73,9 US gallon
Diesel: 250 l (approx.) / 66 US gallon

Boat CE certified: category A: 8 pers, category B: 10 pers, category C: 12 pers, category D: 15 pers.
(in progress)

Architects and Designer: Joubert / Nivelt and Olivier Flahault Design

BRIDGEDECK FITTINGS:**General:**

- Lining on rotproof glass felt
- Woodwork in Douka
- Interior salon / cabin soles: laminated wood tone with black stripes
- Settee cushions in 100% polyester microfiber
- Cabin mattresses in 100 mm thick polyester foam

Salon:

- Salon accessible through a sliding Altuglass door (2 doors) with entrance mat
- Panoramic view through bay windows and aft bulkhead portlights
- Ventilation by 2 opening frontal hatches
- 1 joinery table for 8 people, 1 settee for 6, 2 stools
- 3 large lockers under settee seats
- Lighting by 3 halogen spotlights

Galley:

- Galley opening onto cockpit with synthetic resin counter top
- Sink counter top in granite effect gelcoat and large counter top over refrigerator
- 2 stainless steel sinks Ø300 mm
- 1 draining board
- 1 trash bin with top access, bags removed through independent door
- Pressurized hot and cold freshwater from mixer faucet
- 1 x 3 burner stove with potholders
- 1 stainless steel oven
- 12V 110 liter refrigerator
- Upper stowage locker, with flatware basket fixed on door
- Large lower stowage locker under sink
- Lighting by 3 halogen spotlights
- Ventilation by 1 opening hatch above stove top

Navigation station:

- Joinery chart table
- Console for 12 V electrical panel and navigation instruments, including a stowage space above the chart table
- 1 x 12 V outlet
- Lighting for chart table by 1 reading lamp

INTERIOR FITTINGS:***Standard version: 4 double cabins + 2 bathrooms*****Aft cabin:**

- Access in passageway through joinery door
- Double berth (1.40 / 1.60 x 2 m approx.)
- 2 large stowage spaces under berth with frontal access + access under mattress
- Cupboard with shelves inside
- Stowage shelf above berth
- 1 seat with cushion
- 3 coat hooks
- Ventilation by 1 portlight on outer hull side, 1 deck hatch and 1 aft portlight
- General lighting by 1 halogen spotlight and 2 berth side reading lights

Bathroom:

- Access via sliding Altuglass door
- Counter top with built-in washbasin and mirror
- Hot and cold water by mixer faucet with integrated shower fitting
- Shower with electric drainage pump
- Manual marine toilet
- Bathroom accessories (toilet tissue holder + towel holder)
- 1 stowage under washbasin
- 1 shelf above washbasin
- Ventilation by 1 escape hatch opening under bridgedeck + ventilation by deck ventilator with 12V extractor fan
- Lighting by 1 neon light

Forward cabin:

- Access in passageway through joinery door
- Double berth (1.30 / 0.80 x 2 m approx.)
- 2 large stowage lockers under berth with frontal access + access under mattress
- 1 large hanging locker with interior shelves
- 1 stowage shelf above berth
- 3 coat hooks
- Ventilation by 1 portlight + 1 deck hatch + Permanent ventilation by air inlet through chain locker
- General lighting by 1 halogen spotlight and 2 berth side reading lights

Forepeak:

- Access via forward cabin through joinery door
- Entirely painted with a finishing gelcoat
- Buoyancy reserve under half-height shelf.

Maestro version: 1 owner's suite to starboard + 2 double cabins to port

Access to the Owner's suite through joinery door at top of stairs

Sleeping area:

- Double berth (1.40 / 1.60 x 2 m approx.) with slatted base
- 2 large stowage space under berth with frontal access + access under mattress
- Hanging locker with interior shelves with joinery front
- Bookshelf above berth
- 2 coat hooks
- Ventilation by 1 portlight on outer hull side, 1 deck hatch and 1 aft portlight
- Leather curtains on openings
- General lighting by 1 halogen spotlight and 2 berth side reading lights

Salon area:

- 3 persons settee
- Joinery desk
- Large stowage units
- Ventilation by 1 hull portlight + 1 escape hatch opening under bridgedeck
- General lighting by 2 halogen spotlights

Bathroom area:

- Access through joinery door from the salon area
- Counter top with built-in washbasin and mirror
- 1 large cupboard with shelves inside
- Manual marine toilet
- Bathroom accessories (toilet tissue holder + towel holder)
- Separate shower by altuglas door with electric drainage pump
- Ventilation by 1 deck hatch and 1 hull portlight
- Lighting by 1 neon light

Forepeak:

Identical description to Standard version

DECK LAYOUT:

Steering station:

- Fixed helmsman's seat with backrest
- Large instrument console
- Altuglass windshield for protection of helmsman

Cockpit:

- 8 person settee + 3 person salon seat
- 1 fixed cockpit table
- 1 cockpit seat locker
- life raft locker with launching direct to sea

Foredeck:

- 1 large chain locker divided into 3 compartments with halyard tail stowage at foot of mast
- gas locker built-in to the forward locker

POWER:**Engines and equipment:**

- 2 x 18 hp engines with sail drives
- 2 right-hand pitch 2 blade propellers
- Raw water filter
- Engine cooling by heat exchanger
- Complete engine panel and dual controls at steering station
- Access through GRP deck hatch
- High-performance sound insulation
- Lighting by neon light

Fuel system:

- 1 aluminum 250 l fuel tank with filler plate in cockpit seat
- Electric fuel gauge (indicator on 12 Volt panel)
- 1 fuel pre-filter / water separator + 1 engine fuel filter
- Fuel shutoff valve accessible in cockpit seat locker

PLUMBING :

- 2 polypropylene freshwater tanks of approx. 280 l with electric gauge
- 1 electric pump and pressure accumulator
- 1 water heater 22 l
- 1 electric bilge pump (2m³/h) in engine compartment
- 1 electric pump (2m³/h) (selectable with 3 way cock)
- 1 manual exterior bilge pump

ELECTRICITY / ELECTRONICS:**Power system:**

- 2 x 55A/12V engine alternators
- 1 bank of starboard house/engine batteries of 300Ah
- 1 port engine batterie of 100Ah
- Savety battery connexion kit

12V electrical distribution panel:

- General 12V distribution panel at chart table protected by circuit breakers
- Voltmeter for house batteries
- Spare outlets for extra equipment

Electronics :

- 1 navigation Autohelm ST60
- 1 V.H.F. antenna

RIGGING AND SAILS:**Mast and boom:**

- Mast and boom in anodized aluminum
- Complete standing rigging
- Ball bearing mainsail luff cars
- 1 dual strand mainsheet
- 1 topping lift
- 1 genoa halyard
- 1 spinnaker halyard
- 3 reef pennants
- lazy-jacks
- clutches on all halyards and topping lift
- clutches on reef pennants
- 2 halyards flags
- 2 size 40 self-tailing winches for mainsail halyard, genoa/spinnaker halyard and reef pennants
- Navigation, steaming and anchor lights
- Deck lighting

Sails:

- Full-batten mainsail and genoa
- Roller genoa furler

FITTINGS:**Mainsail and genoa:**

- 1 mainsheet tackle led back to coachroof
- Ball bearing mainsheet traveler
- 2 mainsheet traveler tackles on clutches
- 2 genoa tracks with lead blocks
- 2 genoa sheets
- 2 clutches for genoa sheets
- 2 size 44 self-tailing winches for Main and genoa sheets

Other equipment:

- Steering system with Vectran cables and leather rimmed wheel
- 2 rudders mechanically linked by stock levers and transversal tube
- 1 emergency tiller
- 1 steering compass
- 3 winch handles, 3 pockets
- Pulpits and pushpits, stanchions with upper and lower guard rails
- Accommodation opening at transoms
- 1 swim ladder + 1 cold water deck shower in port transom
- 2 tender davits (100kg maxi each one) with clutches
- 7 mooring cleats (2 forward + 2 midships + 2 aft + 1 chain locker)
- 1 1000Watt electric windlass
- Anchor exit under bridgedeck with bridle included
- 1 stemhead fitting on forward beam
- forward net on forward beam
- Spare parts kit
- 2 coats antifouling

STANDARD MAKES USED:

- Engines: YANMAR
- Hatches and portlights: GOÏOT
- Mast: Z. DIFFUSION
- Sails: INCIDENCES
- Furling gear: FACNOR
- Winches: LEWMAR
- Clutches: SPINLOCK
- Windlass : GOIOT
- Refrigerator: WAECO
- Oven and burner stove : ENO
- Electronic : AUTOHELM

All dimensions are given as a rough guide only.