


SUN ODYSSEY 43DS

2004



SPECIFICATIONS

Overall length	43' 4"
Hull length	42' 1"
Length on waterline	37' 5"
Overall beam	13' 8"
Standard keel draft.....	6' 6"
Standard displacement	20,503 lbs
Standard keel weight.....	6,515 lbs
Shallow keel draft.....	5' 2"
Shallow displacement	20,955 lbs
Shallow keel weight	6,967 lbs
Mast height above WL	58' 1"
Cabins	2 / 3 / 4
Berths	6 / 8 / 10
Standard engine	75 Hp Yanmar
Fuel capacity.....	53 US gal
Water capacity	146 US gal
Furling mainsail	366 sq ft
Furling genoa	581 sq ft
I.....	51' 8"
J.....	15' 3"
P.....	44' 5"
E.....	17' 0"
Category	A 6-8 people
Designer	Daniel Andrieu & Jeanneau Design

Your Local Jeanneau Dealer:

INVENTORY

COCKPIT /TRANSOM

Wide cockpit for easy movement - Cable steering system with pedestal - Leather-covered stainless steel steering wheel 40" dia. - Fiberglass navigation instrument console on steering column - 1 console-mounted compass - 1 pedestal-mounted engine throttle/shift lever - Protected engine panel next to helm seat - Teak batten helm seat, cockpit seats, cockpit floor, and stern skirt - Propane bottle storage in starboard aft compartment (tank not included) - Liferaft storage in transom compartment - Storage locker to port - Large sail lockers to port and to starboard - Fixed cockpit table with 2 folding leaves and built-in icebox - Winch handle holder - Folding swim ladder with teak steps - Fresh water transom shower - Access to transom from cockpit via sliding helm seat

STEERING

Fiberglass rudder with stainless steel frame - Solid stainless steel rudder stock - 2 Self-aligning rudder bearings

STANDING RIGGING

Anodized aluminum boom and deck-stepped - furling mast - Swept-back double spreaders and masthead rig - Stainless steel wire rigging - Backstay with bridle - Profurl genoa furling - Spinnaker pole track - Windex

RUNNING RIGGING

1 Jib halyard - 1 Mainsail topping lift - 1 Mainsail halyard - 2 Genoa sheets - 1 Mainsheet - 1 Mainsail outhaul - 1 Rigid boom vang - 1 Adjustable mainsheet traveler - 1 Genoa furler control line

HEAVY-DUTY DACRON SAILS

1 Furling mainsail - 1 Furling 150 % genoa

DECK HARDWARE

Stainless steel stem fitting with swinging anchor roller - Stainless steel bow pulpit with running lights - Stainless steel stern pulpit with buoy bracket and corner seat - Double lifelines with port and starboard lifeline gates - 6 Mooring cleats with chocks (fore, center, and aft) - Anchor locker cover and fitting for padlock - 1 Vertical electric windlass aft of chain locker - 8 Line stoppers on roof for halyards and sail control lines - 2 Harken 48.2 genoa winches on cockpit coaming - 2 Harken 44.2 roof-mounted winches for halyards and sail control lines - 2 5-sheave halyard organizers - 2 Deck-mounted genoa tracks with adjustable fairleads, car position control and led to cockpit - 1 Roof-mounted mainsheet traveler track - 2 Forward lower shroud chainplates - 2 Aft-lower, intermediate, and upper shroud chainplates - 2 backstay chainplates on transom - Mast step with blocks

NAVIGATION LIGHTS

Running lights on bow pulpit and transom - Anchor light - Steaming light - Foredeck light

COMPANIONWAY

5 Varnished teak steps on fiberglass companionway - 1 Teak hinged door with 2 leaves, locking interior and exterior, with ventilation - Plexiglass sliding hatchcover - 2 Exterior stainless steel handrails - Standing headroom: 6' 5"

ELECTRICAL PANEL

20 switches with circuit breakers - Panel 115V - 1 12 V voltmeter with battery selector (engine and house) - 1 12 V plug - 1 Ammeter for onboard consumption - 1 Ammeter for battery charge - Shorepower w/1 plug per room (cord not included)

COMPANIONWAY

Large gangway below-decks with easy access to cabins - Steps down to cabin fore and aft - Removable floorboards in white-striped teak - Handrails on bulkhead - Stainless steel compression post - 2 Halogen overhead lights - Panoramic view from standing position - Floorboards with hinged access panels to fiberglass storage compartment and tanks - 2 Opening roof hatches with blinds - Standing headroom: 6' 5"

NAV STATION AND ENTERTAINMENT AREA

Located to port, facing forward - Dual-purpose furnishing with 2 seats and center table - Cushions and backrests with removable fabric covers - Nav table 2' 6" x 2' 2", with storage locker - Fixed table support with storage locker - Easy-access small article storage - Bar furnishing under aft seat - Water distribution panel under chart table - Upper furnishing and shelving for instruments and books - Main electrical panel with access to connections - 1 Side light - 2 Halogen overhead lights - 1 Radio/CD - 1 Opening deck hatch with blind - Panoramic view via roof windows from seated position - Handrails under windows - Standing headroom: 5' 9"

SALON

Ergonomic U-shaped bench seating to starboard - Fixed teak salon table with solid teak fiddle - Fixed table support with locker - Sectioned storage lockers - Water heater under bench seat - Storage lockers above backrests - Panoramic view via roof windows from seated position with curtain - Handrails under windows - Fiberglass deck liner covered with light-colored fabric - Floorboards with access panels to compartmentalized Storage - 1 Opening roof hatch with blind - Cushions and backrests with removable fabric covers - 4 Halogen overhead lights with 2 on-off switches - 1 Side light - 2 stereo speakers - Standing headroom: 5' 9"

GALLEY

L-shaped galley to starboard - Teak galley furnishings with laminated countertop - Rectangular double stainless steel sink - 2 sink covers doubling as cutting boards - Glass divider separating galley/salon - Hot and cold pressure water mixer tap - Shelving and wastebasket under sink - Top-loading dish drainer - 4 storage lockers and cutlery drawer - 2 burner stove/oven - Folding stove cover - 61 gal. dual compartment top and side loading refrigerator with storage bin - 2 Side lights - Crockery and storage locker above countertop - 2 Halogen overhead lights - 1 Water meter - Access to refrigeration compressor and thru-hulls in compartment under stove - Floorboards with hinged access doors - Overhead galley handrail - Roof windows with curtains - 1 Roof port - 1 Roof hatch - 12V plug - Standing headroom : 6' 5"

3 DIFFERENT LAY-OUTS AVAILABLE

- 1) 2 cabin version: 1 forward cabin - 1 aft cabin
- 2) 3 cabin version: 2 forward cabins convertible into 1 big cabin and 1 aft cabin
- 3) 4 cabin version: 2 forward cabins convertible into 1 big cabin and 2 aft cabins convertible into 1 main cabin

AFT OWNER'S CABIN

Double berth 6' 7" x 6' 2" with two separate seats - Mattress cushions with removable fabric covers - 2 Opening cockpit ports with curtains - 2 Opening roof ports with curtains - 2 Fixed hull ports with curtains - Light-colored fabric hull-liner - Fiberglass ceiling liner covered with light-colored fabric - 4 Halogen overhead lights - 2 Reading spotlights - Large sectioned storage area in front of berth - 2 Large hanging closets - 2 Wide cupboards with shelves - 2 Lower sectional storage compartments - Complete engine access - Teak floorboards on top of fiberglass liner - Upper lateral shelving - Steering system access - 3 96 A/h batteries under the berth - Battery switches on companionway panel - Standing headroom : 6' 7"

AFT PORT CABIN (MODULAR VERSION)

Double berth 6' 7" x 5' 3" / 3' 9" with folding seat - Mattress cushions with removable fabric covers - 1 Opening cockpit port with curtains - 1 Opening roof port with curtains - 1 Fixed hull port with curtains - Light-colored fabric hull-liner - Fiberglass ceiling liner covered with light-colored fabric - 2 Halogen overhead lights - 1 Reading spotlight - Mirror - Large hanging locker - Wide cupboard with shelves - Complete engine access - 96 A/h battery under berth - Battery switches on companionway panel - Striped teak floorboards on top of fiberglass hull liner - Upper lateral shelving - Steering system access - Standing headroom : 6' 6"

AFT STARBOARD CABIN (MODULAR VERSION)

Identical to port aft cabin, but: 2 96 A/h battery - No battery switch

FORWARD OWNER'S CABIN

Double berth 6'8"x5' / 2' - Mattress with removable fabric cover - Freshwater tank under berth - Storage under berth - Hanging locker - 2 Opening deck hatches with blinds - 1 Deck hatch air vent - Vanity furnishing with mirror and cupboards - 4 Halogen overhead lights - 2 Reading spotlights - Striped teak floorboards - Fluorescent vanity light - Striped teak floorboards - Side shelving - Light color fabric and varnished teak hull liner - Standing headroom: 6'2"

FORWARD CABIN (MODULAR VERSION)

Double berth 6'8"x5'11"/2' - Mattress with removable fabric cover - Freshwater tank under berth - Storage under berth - Hanging locker - 1 Opening deck hatch with blind - Deck hatch air vent - 3 Halogen overhead lights - 2 Reading spotlights - Striped teak floorboards - Side shelving - Light color fabric and varnished teak hull liner - Standing headroom: 6'2"

FORWARD LATERAL CABIN (MODULAR VERSION)

2 Over/under berths:

- upper berth 6'3"x2'1"/1'7"

- lower berth 6'x2'/1'

Mattress with removable fabric cover - Storage under lower berth - Hanging locker with mirror - 1 Opening deck hatch with blind - 1 Halogen overhead light - 2 Reading spotlights - Striped teak floorboards - Light color fabric hull liner - Folding upper berth to converts to backrest - Modular bulkhead storage - Standing headroom: 6'3"

AFT HEAD (STANDARD ALL VERSIONS)

Fiberglass molded furnishing - Antium countertop - Oblong stainless steel sink - Access door from Salon - Storage locker with mirror door over the sink - Sink mixer tap - Storage cupboard with access to thru-hull fittings under sink - Clothes hook and towel ring - Cupboard with door over the toilet - Roof port with curtain - Large model manual pump marine toilet - 1 Lateral light and overhead light - Integral fiberglass shower zone with folding seat and shower door - Shower head and tap - Electric shower sump pump - Stainless Steel 12 gal. Holding tank with gravity drain - Overhead shower light - Standing headroom: 6' 4"

FORWARD HEAD (STANDARD ALL VERSIONS)

Access front forward owner's cabin, or from passageway in 2 forward cabin version - Molded fiberglass furnishings - Antium countertop - Polished stainless steel washbasin - Shelving above sink - Mirror - Mixer tap with shower hose - Storage under sink with access to thruhulls - Towel hook and towel ring - Manual marine toilet - Side light and overhead light - Shower with mixer tap - Opening deck hatch with blind - Electric shower sump pump - Stainless Steel 12 gal. Holding tank with gravity drain - Standing headroom: 6'2"

ENGINE

Engine compartment under companionway - Complete soundproof insulation of engine compartment - Engine blower - Access to engine by removable cover - Stainless steel propeller shaft - Fixed three-bladed propeller - Fuel/water separator - Raw water filter - Anti-siphon valve - Maintenance-free cutlass bearing - Battery charge distributor - Quarter-turn raw water intake thru-hull - Fiberglass engine bed

ALSO SUPPLIED

Epoxy treated keel - Owner's manual - Pressure hot water system with 10.6 gal. hot water heater - Bronze ball-type thru-hull fittings - 2 Winch handles

SELECTED OPTIONS LIST

Shoal Keel

Classic Mast with 80% Battened Main

Asymmetrical Spinnaker Gear

Symmetrical Spinnaker Gear with Pole

Bimini - Sunbrella Plus Captain Navy

Dodger - Sunbrella Plus Captain Navy

Cockpit Cushions - Sunbrella Plus Captain Navy

Teak Decks

Forced Air Heating

Electric Head

Extra Battery

Cockpit Speakers


Bow Thruster

Air Conditioning


Insect Screens

Specifications subject to change without notice
This document is non-contractual


Last update: 8/28/03 - Sun Odyssey 43DS



OWNER'S VERSION



4 CABIN VERSION



DECK PLAN



JEANNEAU

ANY SEASON, ANY SEA

JEANNEAU AMERICA, INC. 105 Eastern Avenue, Suite 202, Annapolis, MD 21403

Tel 410.280.9400 • Fax 410.280.9401 • www.jeanneauamerica.com

ISO 9001
certifié
AFAQ n°1994/2076B